



vivo V21e



vivo V21e



vivo V21e



vivo V21e



vivo V21e



vivo V21e



vivo V21e



AIR CONDITIONER INDOOR UNIT

MODEL	FTKM35UV16WA	SER NO.	0018152
50Hz 230V ~		NET WEIGHT	9.5 kg
DIMENSIONS (cm LxWxH)	80.0x22.9x29.8		

IS:1391(Part-2)



For details of BIS certification please visit www.bis.gov.in

CM/L-8400163007

SCAN TO DOWNLOAD
WARRANTY CARD

SCAN TO DOWNLOAD
OPERATION AND
INSTALLATION MANUAL



DAIKIN AIRCONDITIONING INDIA PVT. LTD.
MADE IN INDIA 3P769572-12C

AIR CONDITIONER OUTDOOR CONDENSING UNIT

MODEL RKM35UV16WA
50Hz 230V ~ 1P

ISEER 5.20
SER. NO. 0022632

COOLING CAPACITY (100%)	3520 W
COOLING CAPACITY (50%)	1760 W
POWER CONSUMPTION (100%)	940 W
POWER CONSUMPTION (50%)	290 W
ELECTRICITY CONSUMPTION	523.54 UNITS PER YEAR
REFRIGERANT (R32)	0.69kg
CURRENT	4.3A
NET WEIGHT	25kg



IS:1391(Part-2)



CML-8400163007

For details of BIS certification
please visit www.bis.gov.in

DIMENSIONS (cm LxWxH)
67.5x28.4x55.0



DAIKIN AIRCONDITIONING INDIA PVT. LTD.
MADE IN INDIA

3P769586-9H

AIR CONDITIONER INDOOR UNIT

MODEL	FYCM35UV16WA		SER. NO.	001834B
SUPPLY CLASS				
DIMENSIONS (cm LxWxH)	80.0x22.9x29.8		NET WEIGHT	9.5 KG

IS:1391(Part-2)

 For details of BIS certification please visit www.bis.gov.in

CN/L-940816-3007

SCAN TO DOWNLOAD WARRANTY CARD

SCAN TO DOWNLOAD OPERATION AND INSTALLATION MANUAL



DAIKIN AIRCONDITIONING INDIA PVT. LTD.
MADE IN INDIA 3P769572-12C

AIR CONDITIONER OUTDOOR CONDENSING UNIT

MODEL RKM35UV16WA
50Hz 230V ~ 1P

ISEER 5.20
SER. NO. 0027627

COOLING CAPACITY (100%)	3520 W
COOLING CAPACITY (50%)	1760 W
POWER CONSUMPTION (100%)	940 W
POWER CONSUMPTION (50%)	290 W
ELECTRICITY CONSUMPTION	523.54 UNITS PER YEAR
REFRIGERANT (R32)	0.69kg
CURRENT	4.3 A
NET WEIGHT	25kg



IS:1391(Part-2)



CM/L-8400163007

For details of BIS certification
please visit www.bis.gov.in

DIMENSIONS (cm LxWxH)
67.5x28.4x55.0

DAIKIN AIRCONDITIONING INDIA PVT. LTD.

MADE IN INDIA

3P769586-9H

SER. NO.: 0003025

DAIKIN AIRCONDITIONING INDIA PVT.LTD.
RILCO NEW INDUSTRIAL COMPLEX, MEDAK, HYDRABAD, INDIA-501705
AIR CONDITIONER HEAT PUMP/COOLING ONLY

MODEL	FCMF100ARV169		INDOOR UNIT		
POWER SUPPLY	230	V	1~	PH 50	HZ
INPUT	COOLING		225	M	
FAN MOTOR	PH	QTY	FLA	M	OUT
	-	1	1.7	106	
MASS	△ 25		kg		
SER. NO.	0003025				
MFG. DATE	August-2025				

MADE IN INDIA



SCAN FOR
MANUAL




SCAN FOR
MFG

IS:1391 (Part-2)



CW/L-840016-3007

FOR DETAILS OF BIS CERTIFICATION
PLEASE VISIT
www.bis.gov.in



MFG: MANUFACTURING
DETAIL

2P701701-10G

DAIKIN AIRCONDITIONING INDIA PVT. LTD.
 RIICO NEW INDUSTRIAL COMPLEX, NEEMRANA, RAJASTHAN, INDIA-301705

MADE IN INDIA

AIR CONDITIONER <COOLING ONLY>

MODEL	RZMF100BRV169 (OUTDOOR USE)	
POWER SUPPLY	230±10% V	IN-50 Hz
CURRENT	14.98 A	
PS(M.W.P)	41.7 bar	MPa
HIGH PRESSURE SIDE	4.17 MPa	
AP	41.7 bar	MPa
HIGH PRESSURE SIDE	4.17 MPa	
REFRIGERANT	R32/2.8 kg	
MASS	62.5 kg	



SCAN FOR MFG

SER. NO.	0003160	
DATE	October-2025	
MODE	COOLING ONLY	
INPUT POWER	HALF LOAD	1.04 kW
	FULL LOAD	3.1 kW
COOLING CAPACITY	HALF LOAD	5.26 kW
	FULL LOAD	10.51 kW
ELECTRICITY CONSUMPTION	1004.01 kWh UNITS PER YEAR	
ISEER	4.51	

IS-1301(Part-2)



CML-6400163007
 FOR DETAILS OF BIS CERTIFICATION
 PLEASE VISIT
 www.BIS.INDIA

3IN/21467-6A

* THE REFRIGERANT IS LOADED IN THIS UNIT.
 FOR DETAILS SEE INSTALLATION MANUAL.

AP : AIR TIGHT TEST PRESSURE
 PS : DESIGN PRESSURE

DAIKIN AIRCONDITIONING INDIA PVT. LTD.

RIICO NEW INDUSTRIAL COMPLEX, NEEMRANA, RAJASTHAN, INDIA-301705

MADE IN INDIA

AIR CONDITIONER <COOLING ONLY>


MODEL	RZMF100BRV169 (OUTDOOR USE)		
POWER SUPPLY	230 ± 10 % V		
	1N~50	Hz	
CURRENT	14.98	A	
PS(M.W.P)	41.7	bar	
HIGH PRESSURE SIDE	4.17	MPa	
AP	41.7	bar	
HIGH PRESSURE SIDE	4.17	MPa	
REFRIGERANT	R32/2.8	kg	
MASS	△ 62.5	kg	



SCAN FOR
MFG

SER. NO.	0003159		
DATE	October-2025		
MODE	COOLING ONLY		
INPUT POWER	HALF LOAD	1.04	KW
	FULL LOAD	3.1	KW
COOLING CAPACITY	HALF LOAD	5.26	KW
	FULL LOAD	10.51	KW
ELECTRICITY CONSUMPTION	1804.81 kWh UNITS PER YEAR		
ISEER	4.51		

IS:1391(Part-2)



CM/L-8400183007
FOR DETAILS OF ISI CERTIFICATION
PLEASE VISIT
www.isi.gov.in



1467-04

* THE REFRIGERANT IS LOADED IN THIS UNIT,
FOR DETAILS SEE INSTALLATION MANUAL.

AP : AIR TIGHT TEST PRESSURE
PS : DESIGN PRESSURE

AIR CONDITIONER INDOOR UNIT

MODEL	FTKM35UV16WA	SER NO.	0018133
ØHz 230V ~		NET WEIGHT	9.5 kg
DIMENSIONS (cm LxWxH)	80.0x22.9x29.8		

S:1391(Part-2)



For details of BIS certification please visit www.bis.gov.in



M/L-8400163007

SCAN TO DOWNLOAD
WARRANTY CARD

SCAN TO DOWNLOAD
OPERATION AND
INSTALLATION MANUAL



DAIKIN AIRCONDITIONING INDIA PVT. LTD.

MADE IN INDIA

3P769572-12C

AIR CONDITIONER OUTDOOR CONDENSING UNIT

MODEL RKM35UV16WA
50Hz 230V ~ 1P

ISEER 5.20
SER. NO. 0022639

COOLING CAPACITY (100%)	3520 W
COOLING CAPACITY (50%)	1760 W
POWER CONSUMPTION (100%)	940 W
POWER CONSUMPTION (50%)	290 W
ELECTRICITY CONSUMPTION	523.54 UNITS PER YEAR
REFRIGERANT (R32)	0.69kg
CURRENT	4.3 A
NET WEIGHT	25kg



IS:1391(Part-2)



CM/L-8400163007

For details of BIS certification
please visit www.bis.gov.in

DIMENSIONS (cm LxWxH)
67.5x28.4x55.0



DAIKIN AIRCONDITIONING INDIA PVT. LTD.
MADE IN INDIA

3P769586-9H

AIR CONDITIONER INDOOR UNIT

MODEL	FTRM35IV16WA	SER NO.	0918131
50Hz 230V ~		NET WEIGHT	9.5 KG
DIMENSIONS (cm LxWxH)	80.9x22.9x29.8		

IS:1391 (Part-2)



For details of BIS certification please visit www.bis.gov.in

CM/L-8488163887



SCAN TO DOWNLOAD WARRANTY CARD



SCAN TO DOWNLOAD OPERATION AND INSTALLATION MANUAL

DAIKIN AIRCONDITIONING INDIA PVT. LTD.
MADE IN INDIA

3P769572-12C

AIR CONDITIONER OUTDOOR CONDENSING UNIT

MODEL RKM35UV16WA	ISEER	5.20
50Hz 230V - 1P	SER. NO.	0026404
COOLING CAPACITY (100%)		3520 W
COOLING CAPACITY (50%)		1760 W
POWER CONSUMPTION (100%)		940 W
POWER CONSUMPTION (50%)		290 W
ELECTRICITY CONSUMPTION	523.54 UNITS PER YEAR	
REFRIGERANT (R32)		0.69kg
CURRENT	4.3A	NET WEIGHT 2.5kg



IS:1391(Part-2)



CM/L-8400163007

For details of BIS certification
please visit www.bis.gov.in



DIMENSIONS (cm LxWxH)
67.5x28.4x55.0

DAIKIN AIRCONDITIONING INDIA PVT. LTD.
MADE IN INDIA 3P769586-911