
DAIKIN


DAIKIN


DAIKIN


DAIKIN


DAIKIN



DAIKIN AIRCONDITIONING
AIR CONDITIONER
<HEAT PUMP/COOLING ONLY>
MADE IN INDIA

MODEL	FKCAQ50AV16	(INDOOR UNIT)

POWER SUPPLY	230 V	~1 PH	50 Hz	
MIN CIRCUIT AMPS (MCA) 50 Hz			10 A	
RATED CURRENT OF APPROPRIATE FUSE-LINK IN AMPERES			20 A	
ALLOWABLE VOLTAGE	± 10 %			

	PH	QTY	FLA	W OUT
FAN MOTOR 50Hz	1	1	0.4	61

	POWER	COOLING	HEATING
INPUT (INDOOR UNIT ONLY)	50 Hz	29 W	~ W

SER. NO.	0015848
MFG. DATE	07-2026
MASS	20 kg

NOTE) VALUES FOR HEATING APPLY ONLY TO HEAT PUMP.

CRN: S4001630007
FOR DETAILS OF BIS CERTIFICATION
PLEASE VISIT www.bis.gov.in

SCAN FOR MFG

SCAN FOR MANUAL

MFG: MANUFACTURING YEAR

3P778881-1B

WARNING
May cause electric
Before starting the inspection of the fan motor, drain pump, etc.), be sure to turn off indoor unit and outdoor unit, o
When cleaning the heat exchang box, fan motor and drain pump the insulation of electric comp these components.
WARNING
Due to high voltage, do box cover for ten min breaker is switched
After the box is op of the points sho capacitor with a voltages are n
Do not touch


AIR CONDITIONER OUTDOOR CONDENSING UNIT
MODEL RZVFQ50ARV16
ISEER 4.10
SER. NO. 0015618
50Hz 230V ~ 1P
COOLING CAPACITY (100%) 5000 W
COOLING CAPACITY (50%) 2500 W
POWER CONSUMPTION (100%) 1650 W
POWER CONSUMPTION (50%) 535 W
ELECTRICITY CONSUMPTION 943.39UNITS PER YEAR
REFRIGERANT (R32) 0.98kg
CURRENT 7.97A
NET WEIGHT 31kg
DIMENSIONS (cm LxWxH) 84.5X30.0X59.5
IS:1391(Part-2)
CM/L-8400163007
For details of BIS certification
please visit www.bis.gov.in
DAIKIN AIRCONDITIONING INDIA PVT. LTD.