

# AIR CONDITIONER INDOOR UNIT

MODEL	FTKL71UV16M	
50Hz 230V ~	SER NO.	9833952
DIMENSIONS (cm LxWxH)	NET WEIGHT	14 kg
IS:1391(Part-2)	106.0X32.5X27.8	



CM/L-8400163007

For details of BIS certification please visit [www.bis.gov.in](http://www.bis.gov.in)  
SCAN TO DOWNLOAD WARRANTY CARD



**DAIKIN AIRCONDITIONING INDIA PVT. LTD.**  
MADE IN INDIA  
3P726984-11L

AIR CONDITIONER OUTDOOR CONDENSING UNIT

MODEL RKL71UV16M

50Hz 230V ~ 1P

ISEER 4.6

SER. NO. 0035298

COOLING CAPACITY (100%)	7034 W
COOLING CAPACITY (50%)	3517 W
POWER CONSUMPTION (100%)	2230 W
POWER CONSUMPTION (50%)	628 W
ELECTRICITY CONSUMPTION	1184.53 UNITS PER YEAR
REFRIGERANT (R32)	0.96 kg
CURRENT	9.9 A
NET WEIGHT	34.5 kg



IS:1391(Part-2)



CM/L-8400163007

For details of BIS certification  
please visit [www.bis.gov.in](http://www.bis.gov.in)



**DAIKIN AIRCONDITIONING INDIA PVT. LTD.**

MADE IN INDIA

3P769457-1D

# AIR CONDITIONER INDOOR UNIT

MODEL	FTKL71UV16M		SER NO.	0033051
VOLTAGE	230V		NET WEIGHT	14 kg
DIMENSIONS (cm LxWxH)	106.0x32.5x27.8			
IS:1391(Part-2)				



CM/L-8400163007

For details of BIS certification please visit  
[www.bis.gov.in](http://www.bis.gov.in)



SCAN TO DOWNLOAD  
WARRANTY CARD



SCAN TO DOWNLOAD  
OPERATION AND  
INSTALLATION MANUAL



**DAIKIN AIRCONDITIONING INDIA PVT. LTD.**  
MADE IN INDIA  
3P726984-11L

AIR CONDITIONER OUTDOOR CONDENSING UNIT

MODEL RKL71UV16M

ISEER 4.6

50Hz 230V ~ 1P

SER. NO. 0035306

COOLING CAPACITY (100%)	7034 W
COOLING CAPACITY (50%)	3517 W
POWER CONSUMPTION (100%)	2230 W
POWER CONSUMPTION (50%)	628 W
ELECTRICITY CONSUMPTION	1184.53 UNITS PER YEAR
REFRIGERANT (R32)	0.96 kg
CURRENT	9.9A
NET WEIGHT	34.5 kg

IS:1391(Part-2)

DIMENSIONS (cm LxWxH)  
84.5X30.0X59.5



CM/L-8400163007

For details of BIS certification  
please visit [www.bis.gov.in](http://www.bis.gov.in)



**DAIKIN AIRCONDITIONING INDIA PVT. LTD.**

MADE IN INDIA

3P769457-1D

FCVFQ140AV16



\*2002160004313M\*

2P706023-27N

FOR ANY COMPLAINTS /

011-4031-9300

FEEDBACK PLEASE CONTACT /

1860-180-3900

WRITE US AT CUSTOMER CARE

CONTACT CENTRE

Email- [customerservice@daikinindia.com](mailto:customerservice@daikinindia.com)

STATUTORY INFORMATION

NAME & ADDRESS OF THE

DAIKIN AIRCONDITIONING

SP2-12 TO SP2-15 & SP2-24

INDUSTRIAL COMPLEX, MA

DISTRICT, KOTPUTLI-BEHR

MONTH & YEAR OF

Sep

MANUFACTURING

\*MAXIMUM RETAIL PRICE

(INCLUSIVE OF ALL TAXES)

SER. NO. 0004313


MADE IN INDIA

**DAIKIN AIRCONDITIONING INDIA PVT. LTD.**

RIICO NEW INDUSTRIAL COMPLEX, NEEMRANA, RAJASTHAN, INDIA-301705

MADE IN INDIA

AIR CONDITIONER &lt;COOLING ONLY&gt;

MODEL	<b>RZVFQ140AY16</b> (OUTDOOR USE)		
POWER SUPPLY	400±10% V		
	3N-50	Hz	
CURRENT	8.42	A	
PS(M.W.P)	41.7	bar	
HIGH PRESSURE SIDE	4.17	MPa	
AP	41.7	bar	
HIGH PRESSURE SIDE	4.17	MPa	
REFRIGERANT	R32/2.1	kg	
MASS	 66	kg	

SCAN FOR  
MFG

SER. NO.	0004343		
DATE	October-2025		
MODE	COOLING ONLY		
INPUT POWER	HALF LOAD	1.67	kW
	FULL LOAD	5.25	kW
COOLING CAPACITY	HALF LOAD	7.0	kW
	FULL LOAD	14	kW
ELECTRICITY CONSUMPTION	2971.47	kWh	UNITS PER YEAR
ISEER	3.65		

IS:1391(Part-2)



CM/L-8400163007  
FOR DETAILS OF BIS CERTIFICATION  
PLEASE VISIT  
[www.bis.gov.in](http://www.bis.gov.in)



3P682653-2P

• THE REFRIGERANT IS LOADED IN THIS UNIT,  
FOR DETAILS SEE INSTALLATION MANUAL.

AP : AIR TIGHT TEST PRESSURE  
PS : DESIGN PRESSURE