


Subject :

DAIKIN AIRCONDITIONING INDIA PVT. LTD.
Service Completion Certificate



AEON AIRCONDITIONING SOLUTIONS

Shop No. 6 & 7, Aeon House, Dr. Ambedkar Rd., Thane (W)
Phone : +91 (9322334107) 9322334109

Subject :

Registration No.				Request Date		Service Engineer		Scheduled Date/Time		Service Order	
User: Go-colours				Mobile:		Mohammad Khizer 03/04/2023					
Customer Address: Sadar nagpur										Fault Diagnosed	
Base Address:											
Dalkin Invoice:				Date:		Operation data (Ambient temp. °C)					
Dealer Invoice:				Date:							
Type				Model No		Manufacturing No.					
Outdoor unit /				FCV FQ140AVG		0002683					
Indoor unit				P2NFA140AP16		0002367					
Work Date				No. of S.E.		Work hours		Details of the Repair Work			
Compressor manufacturing No.				Defective Compressor		Replacement Compressor					
Installed date				Warranty		AMC					
Yes / No				Yes / No		Yes / No					
Service Engineer Remarks				Cassette AC 4. TR		Indoor unit blower fixing					
Done AC working & cooling ok											
Name				Signature		Mohammad Khizer					
Customer Remarks											
Name				Signature		Vikas G.					
Customer Impression about Service											
(Please rate on scale of 1 poor, 2, 3, 4 & 5 excellent)											
How is the behavior of visited engineer											
What is the level of your satisfaction											
How is the explanation by Engineer											
a Simple Repair											
b Part Replaced											
c Part Repaired											
d Gas Charging done											
e Routine Service - Wet											
f Routine Service - DRY											
Details of Repair Work Done											

DAIKIN

DAIKIN AIRCONDITIONING INDIA PVT. LTD.
Service Completion Certificate



AEON AIRCONDITIONING SOLUTIONS
Shop No. 6 & 7, Aeon House, Dr. Ambedkar Rd., Thane (W)
Phone : +91 (9322334107) 9322334109

Subject:		Registration No.		Request Date		Service Engineer		Scheduled Date/Time		Service Order																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
						Mohammad Khizer		03/04/2025																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
User: Go-colours,				Mobile:				Operation data (Ambient temp. °C)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
Customer Address: Sadar nagpur								Before repair		After repair																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
Ese Address:								HP/T	psig'	psig'																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
Daikin Invoice:				Date:				SP/T °C	psig"°C	psig"°C																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
Dealer Invoice:				Date:				Current °C	Amps°C	Amps°C																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
Type	Model No	Manufacturing No.		Voltage	Volts	Volts																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
Outdoor unit /	FCVFR140A/N16	0002683		Indoor temperature																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
Indoor unit	R2NVFR140A/N16	0002367		Suction	°C	°C																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
Work Date	No. of S-E	Work hours	Progress code	Details of the Repair Work																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
				Discharge	°C	°C																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
				Suction	°C	°C																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
				Discharge	°C	°C																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
Compressor manufacturing No.				Detective Compressor		Replacement Compressor		Work No / Parts No	Qty	Billing Amount																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
Installed date	Warranty	AMC	Using with	Fault location	Phenomena code	Error code																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
	Yes / No	Yes / No	Yes / No	Cut off																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
Service Engineer Remarks: Cassette AC 4 TR																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
AC Installation Done																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
Name: Mohammad Khizer				Signature:																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
Customer Remarks:								Customer Impression about Service																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
								(Please rate on scale of 1 poor, 2, 3, 4 & 5 excellent)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
Name: Vikas G				Signature:				How is the behavior of visited engineer																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
								What is the level of your satisfaction																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
								How is the explanation by Engineer																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td colspan="10"></td> <td colspan="2">Fault Diagnosed</td> <td>✓</td> </tr> <tr> <td colspan="10"></td> <td>Power Failure</td> <td></td> <td></td> </tr> <tr> <td colspan="10"></td> <td>Phase Reverse</td> <td></td> <td></td> </tr> <tr> <td colspan="10"></td> <td>In door unit PCB Defective</td> <td></td> <td></td> </tr> <tr> <td colspan="10"></td> <td>Out door PCB Defective</td> <td></td> <td></td> </tr> <tr> <td colspan="10"></td> <td>In door unit Fan Motor Defective</td> <td></td> <td></td> </tr> <tr> <td colspan="10"></td> <td>Outdoor Fan Motor Defective</td> <td></td> <td></td> </tr> <tr> <td colspan="10"></td> <td>Comp. taking High Current / Amp</td> <td></td> <td></td> </tr> <tr> <td colspan="10"></td> <td>Compressor Ground / Earth</td> <td></td> <td></td> </tr> <tr> <td colspan="10"></td> <td>Compressor Tripping due to High Temperature</td> <td></td> <td></td> </tr> <tr> <td colspan="10"></td> <td>Compressor tripping due to High Pressure</td> <td></td> <td></td> </tr> <tr> <td colspan="10"></td> <td>Indoor Unit MgsW Defective</td> <td></td> <td></td> </tr> <tr> <td colspan="10"></td> <td>Outdoor Unit MgsW Defective</td> <td></td> <td></td> </tr> <tr> <td colspan="10"></td> <td>Indoor Unit Transformer Faulty</td> <td></td> <td></td> </tr> <tr> <td colspan="10"></td> <td>Out door Unit Transformer Faulty</td> <td></td> <td></td> </tr> <tr> <td colspan="10"></td> <td>Fault of swing Motor</td> <td></td> <td></td> </tr> <tr> <td colspan="10"></td> <td>Defect of Drain Pump</td> <td></td> <td></td> </tr> <tr> <td colspan="10"></td> <td>Expansion Valve Body / Motor Defective</td> <td></td> <td></td> </tr> <tr> <td colspan="10"></td> <td>Defective Temperature Sensor of Indoor Unit</td> <td></td> <td></td> </tr> <tr> <td colspan="10"></td> <td>Defective Temperature Sensor of Outdoor Unit</td> <td></td> <td></td> </tr> <tr> <td colspan="10"></td> <td>Defective Current Sensor In Out door Unit</td> <td></td> <td></td> </tr> <tr> <td colspan="10"></td> <td>Gas Leakage at Indoor Unit</td> <td></td> <td></td> </tr> <tr> <td colspan="10"></td> <td>Gas Leakage at Outdoor Unit</td> <td></td> <td></td> </tr> <tr> <td colspan="10"></td> <td>Blower broken</td> <td></td> <td></td> </tr> <tr> <td colspan="10"></td> <td>Short Cycling of Air at Indoor Unit</td> <td></td> <td></td> </tr> <tr> <td colspan="10"></td> <td>Short Cycling of Air at Outdoor Unit</td> <td></td> <td></td> </tr> <tr> <td colspan="10"></td> <td>Defect in Drain piping System</td> <td></td> <td></td> </tr> <tr> <td colspan="10"></td> <td>Gas Leakage from Flare nut</td> <td></td> <td></td> </tr> <tr> <td colspan="10"></td> <td>Error In Transmission wiring</td> <td></td> <td></td> </tr> <tr> <td colspan="10"></td> <td>Product under capacity</td> <td></td> <td></td> </tr> <tr> <td colspan="10"></td> <td>Rat bite case</td> <td></td> <td></td> </tr> <tr> <td colspan="10"></td> <td>Less cooling problem due to dirty Airlfilter</td> <td></td> <td></td> </tr> <tr> <td colspan="10"></td> <td>Remote setting changed</td> <td></td> <td></td> </tr> <tr> <td colspan="10"></td> <td>Clogged Condenser</td> <td></td> <td></td> </tr> <tr> <td colspan="10"></td> <td>Other - Pl. specify</td> <td></td> <td></td> </tr> <tr> <td colspan="10"></td> <td colspan="2">Details of Repair Work Done</td> <td>✓</td> </tr> <tr> <td colspan="10"></td> <td>a Simple Repair</td> <td></td> <td></td> </tr> <tr> <td colspan="10"></td> <td>b Part Replaced</td> <td></td> <td></td> </tr> <tr> <td colspan="10"></td> <td>c Part Repaired</td> <td></td> <td></td> </tr> <tr> <td colspan="10"></td> <td>d Gas Charging done</td> <td></td> <td></td> </tr> <tr> <td colspan="10"></td> <td>e Routine Service - Wet</td> <td></td> <td></td> </tr> <tr> <td colspan="10"></td> <td>f Routine Service - DRY</td> <td></td> <td></td> </tr> </table>																						Fault Diagnosed		✓											Power Failure													Phase Reverse													In door unit PCB Defective													Out door PCB Defective													In door unit Fan Motor Defective													Outdoor Fan Motor Defective													Comp. taking High Current / Amp													Compressor Ground / Earth													Compressor Tripping due to High Temperature													Compressor tripping due to High Pressure													Indoor Unit MgsW Defective													Outdoor Unit MgsW Defective													Indoor Unit Transformer Faulty													Out door Unit Transformer Faulty													Fault of swing Motor													Defect of Drain Pump													Expansion Valve Body / Motor Defective													Defective Temperature Sensor of Indoor Unit													Defective Temperature Sensor of Outdoor Unit													Defective Current Sensor In Out door Unit													Gas Leakage at Indoor Unit													Gas Leakage at Outdoor Unit													Blower broken													Short Cycling of Air at Indoor Unit													Short Cycling of Air at Outdoor Unit													Defect in Drain piping System													Gas Leakage from Flare nut													Error In Transmission wiring													Product under capacity													Rat bite case													Less cooling problem due to dirty Airlfilter													Remote setting changed													Clogged Condenser													Other - Pl. specify													Details of Repair Work Done		✓											a Simple Repair													b Part Replaced													c Part Repaired													d Gas Charging done													e Routine Service - Wet													f Routine Service - DRY		
										Fault Diagnosed		✓																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
										Power Failure																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
										Phase Reverse																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
										In door unit PCB Defective																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
										Out door PCB Defective																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
										In door unit Fan Motor Defective																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
										Outdoor Fan Motor Defective																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
										Comp. taking High Current / Amp																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
										Compressor Ground / Earth																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
										Compressor Tripping due to High Temperature																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
										Compressor tripping due to High Pressure																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
										Indoor Unit MgsW Defective																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
										Outdoor Unit MgsW Defective																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
										Indoor Unit Transformer Faulty																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
										Out door Unit Transformer Faulty																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
										Fault of swing Motor																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
										Defect of Drain Pump																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
										Expansion Valve Body / Motor Defective																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
										Defective Temperature Sensor of Indoor Unit																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
										Defective Temperature Sensor of Outdoor Unit																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
										Defective Current Sensor In Out door Unit																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
										Gas Leakage at Indoor Unit																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
										Gas Leakage at Outdoor Unit																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
										Blower broken																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
										Short Cycling of Air at Indoor Unit																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
										Short Cycling of Air at Outdoor Unit																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
										Defect in Drain piping System																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
										Gas Leakage from Flare nut																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
										Error In Transmission wiring																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
										Product under capacity																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
										Rat bite case																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
										Less cooling problem due to dirty Airlfilter																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
										Remote setting changed																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
										Clogged Condenser																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
										Other - Pl. specify																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
										Details of Repair Work Done		✓																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
										a Simple Repair																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
										b Part Replaced																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
										c Part Repaired																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
										d Gas Charging done																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
										e Routine Service - Wet																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
										f Routine Service - DRY																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			



DAIKIN AIRCONDITIONING INDIA PVT. LTD.

Authorised Service Center

AEON AIRCONDITIONING SOLUTIONS

AEON HOUSE, SHOP NO. 6/7, BEHIND N CUBE CHINA TOWN

DR. AMBEDKAR ROAD, THANE W 400601 MAHARASHTRA. PHONE :- 02225370101 / 7900097007



PROJECT :- Go-colours - Sadar Nagpur.

Measurement Sheet

Sr. No.	Location	AC Type	Tonnage	Indoor Unit Details		Outdoor Unit Details		Copper In Rmt	Cable In Rmt	Drain In Rmt	ODU Stand
				Model No.	Sr. No.	Model No.	Sr. No.				
1	Store room	cassett	4	FCNFR140AV	0002683	RZVFR140AY16	0002367	7.6.	9.6	10.92	F.
2		AC TR		16							
3											
4											
5											
6											
7											
8											

EXTRA ACTIVITY CARRIED OUT

CIVIL WORK	Stabilizer			TIMER	CASING CAPPING	SABLE TRAY	GAS CHARGING	DISMENTALING		RE-INSTALLATION
	3KVA	4KVA	5KVA					Hi Wall	Cassette	
						Doath insulation 4.66.				

OTHERS

AC Lifting & Shifting.

For Customer Details:

Go-colours - Sadar Nagpur.

Vendor Details:

Aeon Airconditioning

Sign:

Signature:

Name:

Nikas G

Technician Name:

Mohammad Khizer

Date:

03/04/2025

Stamp:

Date:

03/04/2025

- * AC outdoor shifting Ground floor to First floor terrace.