

AEON AIRCONDITIONING SOLUTIONS

Aeon House, Shop No. 6/7, Behind N Cube China Town, Opp. Shishu Dnyan Mandir,
Dr. Ambedkar Rd Thane 400 001 Maharashtra
Tel : 022 - 25370101 / 7900067007
e-mail : services@aeonacsolutions.com website : www.aeonacsolutions.com

aeon

Project: M/S. Bajaj Finance Ltd. Kumbharwadi, Ground Floor Shop No. 8-1101602.
Additional Measurement Sheet Maharashtra

Sr. No	Location	AC Type	Tonnage	Indoor Unit Details		Outdoor Unit Details		Copper in Rmt	Cable In Rmt	Drain in Rmt	ODU Stand
				Model No.	Sr. No.	Model No.	Sr. No.				
1	Bm Cabin	SPLIT		RKMSUV16VA	1	RKMS50UV16VA		15 Mtr	16 Mtr	15 Mtr	1 Nos
2	Staff Cabin	SPLIT		FTKMS50UV16VA		8194336		23 Mtr	24 Mtr	23 Mtr	1 Nos
3				0058150							
4						RKMS50UV16VA					
5				2) FTKMS50UV16VA		8194379					
6				8107773							
7											
8											

Extra Activity Carried Out

Civil Work	Stabilizer			Timer	Casing Capping	Cable Tray	Gas Charging	Dismantling		Re-Installation
	3KVA	4KVA	5KVA					Hi Wall	Cassette	
2 Core Cutting										02 NOS
Others										

Vendor Details

For		Signature	AB. Shukth
Sign		Technician	Ac. Swift Shukth
Name		Name	
Date		Date	17/03/2025



Stamp

DAIKIN

DAIKIN AIRCONDITIONING INDIA PVT. LTD. Service Completion Certificate



AEON AIRCONDITIONING SOLUTIONS

Office No. 108 & 109, Dhanashree Garden, Commercial Complex,
H.W. Swarni Marg, above Shastri Dairy, Pusa Park, Thane - 400 001.
Mob: 9322334107 / 9322334109

1415

Subject: Installation

Registration No.		Request Date		Service Engineer		Scheduled Date/Time		Service Order	
User:		Mobile:		Operation data (Ambient temp. °C)		Fault Diagnosis		✓	
Customer Address: <u>M/S Baji Finance Ltd Dahar</u>				Before repair		After repair			
Base Address: <u>Road, Nagar Palika Office</u>				HP / T		psig /			
Daikin Invoice: <u>401602 Mahavir 4-24</u>		Date:		SP / T °C		psig °C			
Dealer Invoice:		Date:		Current °C		Amps °C			
Type		Model No		Manufacturing No.		Voltage		Volts	
Outdoor unit /		<u>RKM50UV16VA</u>		<u>8194386</u>		Indoor temperature			
Indoor unit		<u>FTKM50UV16VA</u>		<u>8107773</u>		Suction		°C °C	
Work Date		No. of S.E.		Work hours		Progress code		Details of the Repair Work	
<u>17</u>		<u>03</u>		<u>2025</u>		<u>AC Installation</u>		<u>Work done cooling</u>	
						<u>FILE.</u>			
Compressor manufacturing No.		Defective Compressor		Replacement Compressor		Work No / Parts No		Qty	
Installed date		Warranty		AMC		Using with		Fault location	
		Yes / No		Yes / No		Stabilizer		Phenomena code	
						Cut off		Error code	
Service Engineer Remarks									
Name <u>Aashif Shaikh</u>									
Signature <u>AB. Shaikh</u>									
Customer Remarks									
Name									
Signature <u>VSK</u>									
Customer Impression about Service									
(Please rate on scale of 1 poor, 2, 3, 4 & 5 excellent)									
How is the behavior of visited engineer									
What is the level of your satisfaction									
How is the explanation by Engineer									
a Simple Repair									
b Part Replaced									
c Part Repaired									
d Gas Charging done									
e Routine Service - Wet									
f Routine Service - DRY									
Details of Repair Work Done								✓	

DAIKIN AIRCONDITIONING INDIA PVT. LTD.

Service Completion Certificate


AEON AIRCONDITIONING SOLUTIONS

 Office No. 108 & 109, Dewasthree Garden, Commercial Complex,
 P.W. Swast Marg, above Sheetal Dairy, Pudu Park, Thane - 400 001.
 Mob.: 9222334107 / 9222334109

1415

Subject: Installation

Registration No.		Request Date		Service Engineer		Scheduled Date/Time		Service Order																																																																																																																																																																																											
User:																																																																																																																																																																																																			
Customer Address: <u>M/S. Bajaj Fintek Ltd.</u>																																																																																																																																																																																																			
Base Address: <u>Dahatu Road, Nagar Palika Office</u>																																																																																																																																																																																																			
Daikin Invoice: <u>401602-Mokona</u>																																																																																																																																																																																																			
Dealer Invoice:																																																																																																																																																																																																			
Date:																																																																																																																																																																																																			
Type: <u>Split</u>																																																																																																																																																																																																			
Model No: <u>RM50V16R8194379</u>																																																																																																																																																																																																			
Manufacturing No: <u>FTKMS00000058150</u>																																																																																																																																																																																																			
Details of the Repair Work																																																																																																																																																																																																			
<u>AC Installation</u> <u>Work done cooling</u> <u>OK.</u>																																																																																																																																																																																																			
<table border="1"> <tr> <th>Work Date</th> <th>No. of S.E.</th> <th>Work Hours</th> <th>Progress Code</th> <th colspan="6"></th> </tr> <tr> <td><u>17/03/2023</u></td> <td></td> <td></td> <td></td> <td colspan="6"></td> </tr> </table>										Work Date	No. of S.E.	Work Hours	Progress Code							<u>17/03/2023</u>																																																																																																																																																																															
Work Date	No. of S.E.	Work Hours	Progress Code																																																																																																																																																																																																
<u>17/03/2023</u>																																																																																																																																																																																																			
<table border="1"> <tr> <th colspan="2">Defective Compressor</th> <th colspan="2">Replacement Compressor</th> <th colspan="6"></th> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td colspan="6"></td> </tr> </table>										Defective Compressor		Replacement Compressor																																																																																																																																																																																							
Defective Compressor		Replacement Compressor																																																																																																																																																																																																	
<table border="1"> <tr> <th>Installed Date</th> <th>Warranty</th> <th>AMC</th> <th>Using with</th> <th>Fault location</th> <th>Phenomena code</th> <th>Error code</th> <th colspan="3"></th> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td colspan="3"></td> </tr> </table>										Installed Date	Warranty	AMC	Using with	Fault location	Phenomena code	Error code																																																																																																																																																																																			
Installed Date	Warranty	AMC	Using with	Fault location	Phenomena code	Error code																																																																																																																																																																																													
Service Engineer Remarks																																																																																																																																																																																																			
Name: <u>Abhishek Shukla</u> Signature: <u>AB. Shukla</u>																																																																																																																																																																																																			
Customer Remarks																																																																																																																																																																																																			
Name: <u>Vishal</u> Signature: <u>Vishal</u>																																																																																																																																																																																																			
<table border="1"> <tr> <th colspan="2">Operation data (Ambient temp. °C)</th> <th colspan="2">Fault Diagnosed</th> <th></th> </tr> <tr> <th></th> <th>Before repair</th> <th>After repair</th> <th></th> <th></th> </tr> <tr> <td>HP / T</td> <td>psig</td> <td>psig</td> <td>Power Failure</td> <td>☒</td> </tr> <tr> <td>SP / T °C</td> <td>psig °C</td> <td>psig °C</td> <td>Phase Reverse</td> <td></td> </tr> <tr> <td>Current °C</td> <td>Amps °C</td> <td>Amps °C</td> <td>In door unit PCB Defective</td> <td></td> </tr> <tr> <td>Voltage</td> <td>Volts</td> <td>Volts</td> <td>Out door PCB Defective</td> <td></td> </tr> <tr> <td>Suction</td> <td>°C</td> <td>°C</td> <td>In door unit Fan Motor Defective</td> <td></td> </tr> <tr> <td>Discharge</td> <td>°C</td> <td>°C</td> <td>Outdoor Fan Motor Defective</td> <td></td> </tr> <tr> <td colspan="2">Indoor temperature</td> <td></td> <td>Comp. taking High Current / Amp</td> <td></td> </tr> <tr> <td colspan="2">Suction</td> <td>°C</td> <td>Compressor Ground / Earth</td> <td></td> </tr> <tr> <td colspan="2">Discharge</td> <td>°C</td> <td>Compressor Tripping due to High Temperature</td> <td></td> </tr> <tr> <td colspan="2">Outdoor temperature</td> <td></td> <td>Compressor tripping due to High Pressure</td> <td></td> </tr> <tr> <td colspan="2">Suction</td> <td>°C</td> <td>Indoor Unit M/Sw Defective</td> <td></td> </tr> <tr> <td colspan="2">Discharge</td> <td>°C</td> <td>Outdoor Unit M/Sw Defective</td> <td></td> </tr> <tr> <td colspan="2">Work No / Parts No</td> <td>Qty</td> <td>Indoor Unit Transformer Faulty</td> <td></td> </tr> <tr> <td colspan="2">Billing Amount</td> <td></td> <td>Out door Unit Transformer Faulty</td> <td></td> </tr> <tr> <td colspan="2">Total</td> <td></td> <td>Fault of swing Motor</td> <td></td> </tr> <tr> <td colspan="2"></td> <td></td> <td>Defect of Drain Pump</td> <td></td> </tr> <tr> <td colspan="2"></td> <td></td> <td>Expansion Valve Body / Motor Defective</td> <td></td> </tr> <tr> <td colspan="2"></td> <td></td> <td>Defective Temperature Sensor of Indoor Unit</td> <td></td> </tr> <tr> <td colspan="2"></td> <td></td> <td>Defective Temperature Sensor of Outdoor Unit</td> <td></td> </tr> <tr> <td colspan="2"></td> <td></td> <td>Defective Current Sensor In Out door Unit</td> <td></td> </tr> <tr> <td colspan="2"></td> <td></td> <td>Gas Leakage at Indoor Unit</td> <td></td> </tr> <tr> <td colspan="2"></td> <td></td> <td>Gas Leakage at Outdoor Unit</td> <td></td> </tr> <tr> <td colspan="2"></td> <td></td> <td>Blower broken</td> <td></td> </tr> <tr> <td colspan="2"></td> <td></td> <td>Short Cycling of Air at Indoor Unit</td> <td></td> </tr> <tr> <td colspan="2"></td> <td></td> <td>Short Cycling of Air at Outdoor Unit</td> <td></td> </tr> <tr> <td colspan="2"></td> <td></td> <td>Defect in Drain piping System</td> <td></td> </tr> <tr> <td colspan="2"></td> <td></td> <td>Gas Leakage from Flare nut</td> <td></td> </tr> <tr> <td colspan="2"></td> <td></td> <td>Error in Transmission wiring</td> <td></td> </tr> <tr> <td colspan="2"></td> <td></td> <td>Product under capacity</td> <td></td> </tr> <tr> <td colspan="2"></td> <td></td> <td>Rat bite case</td> <td></td> </tr> <tr> <td colspan="2"></td> <td></td> <td>Less cooling problem due to dirty Airfilter</td> <td></td> </tr> <tr> <td colspan="2"></td> <td></td> <td>Remote setting changed</td> <td></td> </tr> <tr> <td colspan="2"></td> <td></td> <td>Clogged Condenser</td> <td></td> </tr> <tr> <td colspan="2"></td> <td></td> <td>Other - Pl. specify</td> <td></td> </tr> <tr> <td colspan="5">Details of Repair Work Done</td> <td>☒</td> </tr> </table>										Operation data (Ambient temp. °C)		Fault Diagnosed				Before repair	After repair			HP / T	psig	psig	Power Failure	☒	SP / T °C	psig °C	psig °C	Phase Reverse		Current °C	Amps °C	Amps °C	In door unit PCB Defective		Voltage	Volts	Volts	Out door PCB Defective		Suction	°C	°C	In door unit Fan Motor Defective		Discharge	°C	°C	Outdoor Fan Motor Defective		Indoor temperature			Comp. taking High Current / Amp		Suction		°C	Compressor Ground / Earth		Discharge		°C	Compressor Tripping due to High Temperature		Outdoor temperature			Compressor tripping due to High Pressure		Suction		°C	Indoor Unit M/Sw Defective		Discharge		°C	Outdoor Unit M/Sw Defective		Work No / Parts No		Qty	Indoor Unit Transformer Faulty		Billing Amount			Out door Unit Transformer Faulty		Total			Fault of swing Motor					Defect of Drain Pump					Expansion Valve Body / Motor Defective					Defective Temperature Sensor of Indoor Unit					Defective Temperature Sensor of Outdoor Unit					Defective Current Sensor In Out door Unit					Gas Leakage at Indoor Unit					Gas Leakage at Outdoor Unit					Blower broken					Short Cycling of Air at Indoor Unit					Short Cycling of Air at Outdoor Unit					Defect in Drain piping System					Gas Leakage from Flare nut					Error in Transmission wiring					Product under capacity					Rat bite case					Less cooling problem due to dirty Airfilter					Remote setting changed					Clogged Condenser					Other - Pl. specify		Details of Repair Work Done					☒
Operation data (Ambient temp. °C)		Fault Diagnosed																																																																																																																																																																																																	
	Before repair	After repair																																																																																																																																																																																																	
HP / T	psig	psig	Power Failure	☒																																																																																																																																																																																															
SP / T °C	psig °C	psig °C	Phase Reverse																																																																																																																																																																																																
Current °C	Amps °C	Amps °C	In door unit PCB Defective																																																																																																																																																																																																
Voltage	Volts	Volts	Out door PCB Defective																																																																																																																																																																																																
Suction	°C	°C	In door unit Fan Motor Defective																																																																																																																																																																																																
Discharge	°C	°C	Outdoor Fan Motor Defective																																																																																																																																																																																																
Indoor temperature			Comp. taking High Current / Amp																																																																																																																																																																																																
Suction		°C	Compressor Ground / Earth																																																																																																																																																																																																
Discharge		°C	Compressor Tripping due to High Temperature																																																																																																																																																																																																
Outdoor temperature			Compressor tripping due to High Pressure																																																																																																																																																																																																
Suction		°C	Indoor Unit M/Sw Defective																																																																																																																																																																																																
Discharge		°C	Outdoor Unit M/Sw Defective																																																																																																																																																																																																
Work No / Parts No		Qty	Indoor Unit Transformer Faulty																																																																																																																																																																																																
Billing Amount			Out door Unit Transformer Faulty																																																																																																																																																																																																
Total			Fault of swing Motor																																																																																																																																																																																																
			Defect of Drain Pump																																																																																																																																																																																																
			Expansion Valve Body / Motor Defective																																																																																																																																																																																																
			Defective Temperature Sensor of Indoor Unit																																																																																																																																																																																																
			Defective Temperature Sensor of Outdoor Unit																																																																																																																																																																																																
			Defective Current Sensor In Out door Unit																																																																																																																																																																																																
			Gas Leakage at Indoor Unit																																																																																																																																																																																																
			Gas Leakage at Outdoor Unit																																																																																																																																																																																																
			Blower broken																																																																																																																																																																																																
			Short Cycling of Air at Indoor Unit																																																																																																																																																																																																
			Short Cycling of Air at Outdoor Unit																																																																																																																																																																																																
			Defect in Drain piping System																																																																																																																																																																																																
			Gas Leakage from Flare nut																																																																																																																																																																																																
			Error in Transmission wiring																																																																																																																																																																																																
			Product under capacity																																																																																																																																																																																																
			Rat bite case																																																																																																																																																																																																
			Less cooling problem due to dirty Airfilter																																																																																																																																																																																																
			Remote setting changed																																																																																																																																																																																																
			Clogged Condenser																																																																																																																																																																																																
			Other - Pl. specify																																																																																																																																																																																																
Details of Repair Work Done					☒																																																																																																																																																																																														
Customer Impression about Service																																																																																																																																																																																																			
(Please rate on scale of 1 poor, 2, 3, 4 & 5 excellent)																																																																																																																																																																																																			
How is the behavior of visited engineer					a	Simple Repair																																																																																																																																																																																													
What is the level of your satisfaction					b	Part Replaced																																																																																																																																																																																													
How is the explanation by Engineer					c	Part Replaced																																																																																																																																																																																													
					d	Gas Charging done																																																																																																																																																																																													
					e	Routine Service - Wet																																																																																																																																																																																													
					f	Routine Service - DRY																																																																																																																																																																																													