



vivo V21e



# AIR CONDITIONER INDOOR UNIT

MODEL	FTKL50UV16VAF	SER. NO.	8125940
50Hz 230V ~		NET WEIGHT	10.5kg
DIMENSIONS (cm LxWxH)	88.5x22.9x29.8		

IS:1391(Part-2)



CM/L-6600081458

For details of BIS certification please visit [www.bis.gov.in](http://www.bis.gov.in)



SCAN TO DOWNLOAD  
WARRANTY CARD

SCAN TO DOWNLOAD  
OPERATION AND  
INSTALLATION MANUAL



**DAIKIN AIRCONDITIONING INDIA PVT. LTD**  
MADE IN INDIA

3P737005-8

## AIR CONDITIONER INDOOR UNIT


MODEL	FTKL50UV16VAF	SER. NO.	8125937
50Hz 230V ~		NET WEIGHT	10.5kg
DIMENSIONS (cm LxWxH)	88.5x22.9x29.8		

IS:1391(Part-2)



CM/L-6600081458

For details of BIS certification please visit  
[www.bis.gov.in](http://www.bis.gov.in)



SCAN TO DOWNLOAD  
WARRANTY CARD

SCAN TO DOWNLOAD  
OPERATION AND  
INSTALLATION MANUAL



**DAIKIN AIRCONDITIONING INDIA PVT. LTD.**  
MADE IN INDIA

3P737005-8 G

# AIR CONDITIONER OUTDOOR CONDENSING UNIT

MODEL RKL50UV16VAF  
50Hz 230V ~ 1P

ISEER 4.00  
SER. NO. 8268177

COOLING CAPACITY (100%)	5000 W
COOLING CAPACITY (50%)	2500 W
POWER CONSUMPTION (100%)	1670 W
POWER CONSUMPTION (50%)	554 W
ELECTRICITY CONSUMPTION	966.47 UNITS PER YEAR
REFRIGERANT (R32)	0.51 kg
CURRENT	7.41 A
NET WEIGHT	27 kg



IS:1391(Part-2)



CM/L-6600081458

For details of BIS certification  
please visit [www.bis.gov.in](http://www.bis.gov.in)

DIMENSIONS (cm LxWxH)

84.5x30.0x59.5



**DAIKIN AIRCONDITIONING INDIA PVT. LTD.**  
MADE IN INDIA

3P730550-9 L

# AIR CONDITIONER OUTDOOR CONDENSING UNIT

MODEL RKL50UV16VAF  
50Hz 230V ~ 1P

ISEER 4.00  
SER. NO. 8201814

COOLING CAPACITY (100%)	5000 W
COOLING CAPACITY (50%)	2500 W
POWER CONSUMPTION (100%)	1670 W
POWER CONSUMPTION (50%)	554 W
ELECTRICITY CONSUMPTION	966.47 UNITS PER YEAR
REFRIGERANT (R32)	0.51 kg
CURRENT	7.41 A
NET WEIGHT	27 kg



IS:1391(Part-2)



CM/L-6600081458

For details of BIS certification  
please visit [www.bis.gov.in](http://www.bis.gov.in)

DIMENSIONS (cm LxWxH)  
84.5x30.0x59.5



**DAIKIN AIRCONDITIONING INDIA PVT. LTD.**  
MADE IN INDIA

3P730550-9 L